Query Performance Insights: What's new?

Slides in http://aka.ms/tigertoolbox

Under "Sessions" folder

sqlbits

Microsoft

PEDRO LOPES

Sr. Program Manager, SQL Server Engineering

/pedroazevedolopes

@SQLPedro

Focus Areas

Relational Engine: Query Processor, Programmability, Performance

Agenda

- A brief history of SQL Server query performance
- Diagnostics improvements
- Adaptive Query Processing in SQL Server 2017
- Intelligent Query Processing in SQL Server 2019

A brief history of SQL Server Query Performance

Query Performance Journey



Query Optimizer

Diagnostics and Tools

Query Execution

Retired SQL 2000 docs available in PDF at
https://download.microsoft.com/download/5/4/A/54AFD350-6477-4910-9DF2-4C472C906684/SQL2000_release.pdf

Query Performance Journey



Query Optimizer

Diagnostics and Tools

Query Execution

Diagnostics Enhancements - Server and Database

Performance Dashboard in SSMS

Starting with SSMS v17.2
No extra downloads!
No new schema to deploy!
Long standing request by CSS and customers







Query Store – new reports

Comprehensive query-performance information when you need it most!



Diagnostics Enhancements

- Query Analysis

Query plans: fundamental query perf diagnostics

How data is accessed
How data is joined
Sequence of operations
Use of temporary worktables and sorts
Estimated rowcounts, iterations, and costs from each step
Actual rowcounts and iterations
How data is aggregated
Use of parallelism
Query execution warnings
Query execution stats
Hardware/Resource stats



Getting all context info in Showplan: Trace Flags

- Shows list of active trace flags:
  - Query
  - Session
  - Global
- Useful to understand if active Trace Flags influence execution context



Getting all context info in Showplan: Times

Persisting information on elapsed and CPU times

QueryTimeStats	
CpuTime	91903
ElapsedTime	92330

Is all the elapsed time spent on CPU? Look for waits

And Scalar UDF elapsed and CPU times

QueryTimeStats	
CpuTime	628
ElapsedTime	1174
UdfCpuTime	443
UdfElapsedTime	445

How much elapsed time is spent on UDF?

More on Scalar UDFs later

Getting all context info in Showplan: Waits

Shows top 10 waits from sys.dm_exec_session_wait_stats

Correlate waits with overall query times

QueryTimeStats	
CpuTime	1045
ElapsedTime	3010

Misc	
Cached plan size	160 KB
CardinalityEstimationModelV	130
CompileCPU	11
CompileMemory	728
CompileTime	136
DatabaseContextSettingsId	3
Degree of Parallelism	12
Estimated Number of Rows	121308
Estimated Operator Cost	0 (0%)
Estimated Subtree Cost	4.48002
Memory Grant	80448
⊞ MemoryGrantInfo	
Optimization Level	FULL

WaitStats	
[1]	
WaitCount	98
WaitTimeMs	3
WaitType	LATCH_SH
[2]	
WaitCount	50
WaitTimeMs	761
WaitType	PAGEIOLATCH_SH
[3]	
WaitCount	67
WaitTimeMs	1942
WaitType	LATCH_EX
[4]	
WaitCount	129
WaitTimeMs	2509
WaitType	ASYNC_NETWORK_IO
[5]	
WaitCount	2220
WaitTimeMs	30622
WaitType	CXPACKET

Note: Parallelism waits available in SQL Server 2016 SP2, 2017 CU3 and 2019

Getting all context info in Showplan: memory

Showplan extended to include grant usage per thread and iterator



Is the used memory **close to** granted? Great!

Is the used memory **much below** granted?
Hurting concurrency…

Is the used memory **above** granted?
Possibility of OOM…

Look for **memory warnings**

Also found in *sys.dm_exec_query_stats*

More on this later

Insights into every query plan node



Widely unbalanced parallelism?
Start by looking at statistics

SET STATISTICS IO not needed

SET STATISTICS TIME not needed

Faster insights

The middle-of-the-night call

- You're on call for supporting the data tier of a mission-critical SQL Server instance.
- Key business processes are being delayed when ETL is running.
- You get a call asking to mitigate the issue and then determine the root cause.

Defining the problem

Reasonable hypothesis: a long running query.

But query completion is a prerequisite for the availability of an actual query plan.

So… actual query plans aren't suitable for troubleshooting complex performance issues:

- Long running queries
- Queries that run indefinitely and never finish execution.

What we need – Query progress: anytime, anywhere

Starting with SQL Server 2016 SP1 and 2017, the new *lightweight query execution statistics profile infrastructure* allows continuous collection of per-operator query execution statistics. How?

- Using global TF 7412
- Enabling *query_thread_profile*, *query_plan_profile**, and *query_post_execution_plan_profile*** extended events
- Using query hint **USE HINT('query_plan_profile')*****



* SQL Server 2016 SP2 CU3, 2017 CU11 and 2019

** SQL Server 2017 CU14 and 2019

*** SQL Server 2017 CU11, 2016 SP2 CU3 and 2019

We get Live Query Statistics for all sessions!



Adaptive Query Processing

A brief retrospective

Interleaved Execution for MSTVFs

Problem: Multi-statement table valued functions (MSTVFs) are treated as a black box by QP and we use a fixed optimization guess.



Interleaved Execution for MSTVFs

Problem: Multi-statement table valued functions (MSTVFs) are treated as a black box by QP and we use a fixed optimization guess

Interleaved Execution will materialize and use row counts for MSTVFs.

Downstream operations will benefit from the corrected MSTVF cardinality estimate.



Batch Mode Memory Grant Feedback (MGF)



Problem: Queries may spill to disk or take too much memory based on poor cardinality estimates. Memory misestimations result in spills, and overestimations hurt concurrency.

MGF will adjust memory grants based on execution feedback.

MGF will remove spills and improve concurrency for repeating queries.

140 database compatibility level

Batch Mode Adaptive Joins (AJ)

Problem: If cardinality estimates are skewed, we may choose an inappropriate join algorithm.

AJ will defer the choice of Hash Match or Nested Loops join until after the first join input has been scanned.

AJ uses Nested Loops for small inputs, Hash Match for large inputs.



140 database compatibility level

Intelligent Query Processing

Broadening the scope…

Intelligent Query Processing

The **intelligent query processing** feature family includes features with broad impact that improve the performance of existing workloads with minimal implementation effort.





Row Mode Memory Grant Feedback (MGF)

Same as batch-mode MGF, updating the cached plan for:

- Row-mode spills to disk → MGF corrects grant misestimations
- Row-mode excessive memory grant → MGF corrects wasted memory, improves concurrency

New query execution plan attributes to understand the state of memory grant feedback:

MemoryGrantInfo	
DesiredMemory	13992
GrantedMemory	13992
GrantWaitTime	0
IsMemoryGrantFeedbackAdjusted	YesStable
LastRequestedMemory	13992
MaxQueryMemory	1497128
MaxUsedMemory	3744

150 database compatibility level

Table Variable Deferred Compilation

Legacy behavior

Area	Temporary Tables	Table Variables
Manual stats creation and update	Yes	No
Indexes	Yes	Only inline index definitions allowed.
Constraints	Yes	Only PK, uniqueness and check constraints.
Automatic stats creation	Yes	No
Creating and using a temporary object in a single batch	Compilation of a statement that references a temp table that doesn't exist is deferred until the first execution of the statement	A statement that references a table variable is compiled along with all other statements before any statement that populates the TV is executed, so compilation sees it as "1".

Table Variable Deferred Compilation

150 database compatibility level

Azure SQL Database and SQL Server 2019 behavior

Area	Temporary Tables	Table Variables
Manual stats creation and update	Yes	No
Indexes	Yes	Only inline index definitions allowed.
Constraints	Yes	Only PK, uniqueness and check constraints.
Automatic stats creation	Yes	No
Creating and using a temporary object in a single batch	Compilation of a statement that references a temp table that doesn't exist is deferred until the first execution of the statement	Compilation of a statement that references a table variable that doesn't exist is deferred until the first execution of the statement

T-SQL Scalar User-Defined Functions (UDFs)

User-Defined Functions that are implemented in Transact-SQL and return a single data value are referred to as **T-SQL Scalar User-Defined Functions**

T-SQL UDFs are an elegant way to achieve code reuse and modularity across SQL queries

Some computations (such as complex business rules) are easier to express in imperative UDF form

UDFs help in building up complex logic without requiring expertise in writing complex SQL queries

T-SQL Scalar UDF performance issues!

Iterative invocation: Invoked once per qualifying row. Repeated context switching – and even worse for UDFs that have T-SQL queries that access data

Lack of costing: Scalar operators are not costed (realistically)

Interpreted execution: Each statement itself is compiled, and the compiled plan is cached. Although this caching strategy saves some time as it avoids recompilations, each statement executes in isolation. No cross-statement optimizations are carried out.

Serial execution: SQL Server does not allow intra-query parallelism in queries that invoke Scalar UDFs. In other words, Scalar UDFs are parallelism inhibitors.

T-SQL Scalar UDF Inlining

Enable the benefits of UDFs without the performance penalty!

- Goal of the *Scalar UDF Inlining* feature is to improve performance for queries that invoke scalar UDFs where UDF execution is the main bottleneck

Before SQL 2019/DB Compat 150:

- Using query rewriting techniques, UDFs are transformed into equivalent relational expressions that are "inlined" into the calling query



150 database compatibility level

Source: "Froid: Optimization of Imperative Programs in a Relational Database"

T-SQL Scalar UDF Inlining

Table 1: Relational algebraic expressions for imperative statements (using standard T-SQL notation from [33])

Imperative Statement (T-SQL)	Relational expression (T-SQL)
DECLARE {@*var* *data_type* [= *expr*]}[, . . . *n*];	SELECT {*expr*|*null* AS *var*}[, . . . *n*];
SET {@*var* = *expr*}[, . . . *n*];	SELECT {*expr* AS *var*}[, . . . *n*];
SELECT {@*var*1 = *prj_expr*1}[, . . . *n*] FROM *sql_expr*;	{SELECT *prj_expr*1 AS *var*1 FROM *sql_expr*}; [, . . . *n*]
IF (*pred_expr*) {*t_stmt*; [. . . *n*]} ELSE {*f_stmt*; [, . . . *n*]}	SELECT CASE WHEN *pred_expr* THEN 1 ELSE 0 END AS *pred_val*; {SELECT CASE WHEN *pred_val* = 1 THEN *t_stmt* ELSE *f_stmt*; }[. . . *n*]
RETURN expr;	SELECT *expr* AS *returnVal*;

Source: "Froid: Optimization of Imperative Programs in a Relational Database"

Scalar UDF Inlining candidates

Existing UDFs will be inlined during compilation with **no need** to make changes.

First version candidates:

- DECLARE, SET: Variable declaration and assignments.
- SELECT: SQL query with multiple variable assignments.
- IF/ELSE: Branching with arbitrary levels of nesting.
- RETURN: Single or multiple return statements.
- UDF: Nested/recursive function calls.
- Others: Relational operations such as EXISTS, ISNULL.

To inline, or not to inline

See *sys.sql_modules* catalog view includes a property called is_inlineable:

- 1 indicates that it is inlineable, and 0 indicates otherwise
- Value of 1 for all inline TVFs as well

If a scalar UDF is inlineable, it doesn't imply that it will always be inlined. SQL Server will decide (on a per-query, per-UDF basis) whether to inline a UDF or not if:

- UDF definition has thousands of lines of code (itself or by using nesting)
- UDF used in a GROUP BY clause

Decision is made when the query referencing a scalar UDF is compiled.

Batch Mode and Columnstore

Since SQL Server 2012 – we've bound these two features together



Batch Mode on Rowstore

150 database compatibility level

Sometimes Columnstore isn't an option:

- OLTP-sensitive workloads
- Vendor support
- Columnstore interoperability limitations

Now get analytical processing CPU-benefits **without Columnstore indexes.**

Batch mode on rowstore supports:

- On-disk heaps and B-tree indexes and existing batch-capable operators (**new scan operator** can evaluate batch mode bitmap filters)
- Existing batch mode operators

Batch Mode on Rowstore candidate workloads

A significant part of the workload consists of analytical queries **AND**

The workload is CPU bound **AND**

- Creating a columnstore index adds too much overhead to the transactional part of your workload **OR**
- Creating a columnstore index is not feasible because your application depends on a feature that is not yet supported with columnstore indexes **OR**
- You depend on a feature not supported with columnstore (for example, triggers)

Batch Mode on Rowstore considerations

There is no guarantee that query plans will use batch mode.

No guarantee that if you get a row mode plan, it will be the same as the plan you get in a lower compatibility level.

No guarantee that if you get a batch mode plan, it will be the same as the plan you'd get with a columnstore index.

Plans may also change in subtle ways for queries that mix columnstore and rowstore indexes, because of the new batch mode rowstore scan.

APPROX_COUNT_DISTINCT - When approximate is good enough…

Provides approximate COUNT DISTINCT for big data scenarios with the benefit of high performance and a **(very) low memory** footprint.

Dashboard scenarios and trend analysis against big data sets with many distinct values (for example, distinct orders counts over a time period) – and many concurrent users where exact values are not necessary.



Data science big data set exploration. Need to understand data distributions quickly and exact values are not paramount.

Not banking applications or anywhere an exact value is required!

DEMO

Intelligent Query Processing

Intelligent QP next steps…

- Regressions due to a feature?
- Situations where something didn't kick off and you think it should have?

These features are in public preview – and we want your feedback!

Please email IntelligentQP@Microsoft.com

Bookmarks

SQL Server Team (Tiger) Blog	http://aka.ms/sqlserverteam
Tiger Toolbox GitHub	http://aka.ms/tigertoolbox
SQL Server Release Blog	http://aka.ms/sqlreleases
Best Practices and Perf Checks	http://aka.ms/bpcheck
SQL Server Standards Support	http://aka.ms/sqlstandards
Trace Flags	http://aka.ms/traceflags
SQL Server Support lifecycle	http://aka.ms/sqllifecycle
SQL Server Updates	http://aka.ms/sqlupdates
SQL Server Guides	http://aka.ms/sqlserverguides
SQL Feedback (New “Connect”)	http://aka.ms/sqlfeedback
T-SQL Syntax Conventions	http://aka.ms/sqlconventions
SQL Server Errors	http://aka.ms/sqlerrors
SQL Performance Center	http://aka.ms/sqlperfcenter
Twitter	@mssqltiger

sqlbits

We'd love your feedback

Aka.ms/SQLBits19

Microsoft